Subject index

A

ABA: see abscisic acid
Abnormal proteins:
formation by hs or chemical stressors 30–31; role for induced HSP synthesis 30–31; generation by oxygen stress or heavy metals 79, 88
Abscisic acid:
increased hsp70 mRNA 32; induction by different stresses 80–84, 92; antagonism with cytokinins 83; role for seed development 82–84; responsive promoter elements 83; induction of cold hardiness 91; induction of water stress proteins 94
ACC synthase:
key enzyme of ethylene synthesis 85; increase by wounding 95, by pathogen infection 99
Acetabularia:
induced HSP synthesis 7; HSP70 in chloroplasts 77
Achlya:
formation of nuclear actin rods 43
Actin:
hs effects on protoplasmic streaming 45; actin rods in nuclei 43
ADH: see alcohol dehydrogenase
Ageing: s. also ethylene, jasmonate
induction of stress metabolites 80–81
Agrobacterium tumefaciens 98
Alcohol dehydrogenase:
induction by anaerobiosis 89–90;
gene and promoter structure 90
Allium cepa:
hs granules 47
Amino acid analogues:
inducer of HSP synthesis 30–31
α-Amylase:
induction by GA3 39; hs, degradation of mRNA 39
Anacystis nidulans:
assembly of Rubisco subunits, GroEL 23, 75
Anaerobic stress:
induced HSP synthesis 30; decay of polysomes 41, 89; induction of stress metabolites 80–81; induced proteins 89–90; translation control 89; promoter elements 90; anaerobic mRNAs 90
Antibodies:
to plant HSPs 66–74; cross-reactivity 67–69; intracellular localization of HSPs 68–74
Antirrhinum majus:
chalcone synthase promoter 103
Arabidopsis thaliana:
induced HSP synthesis 8; hsp70 gene structure 17; promoter of hsc70 gene 36–37; HSG 54; anaerobic stress proteins 89; Adh gene structure 90; cold stress proteins 91
Arsenite:
inducer of HSP synthesis 30–31
Artemisia:
leaf temperature 65
ASP: s. anaerobic stress proteins
Aspergillus nidulans:
1D pattern of HSPs 6; 2D pattern of HSPs 9
Auxins:
induced mRNA 39; induction of stress metabolites and proteins 80–81, 102
Azetidine carboxylic acid:
induction of HSP synthesis 30–31

B

Bacillus megaterium:
sequence of HSP70 18–19
Bacteria: s. also *Agrobacterium tumefaciens, Bacillus megaterium, Coxiella burnetii, Escherichia coli, Mycobacterium leprae, Salmonella typhimurium*
Barley: s. *Hordeum vulgare*
Bean: s. *Vicia faba, Phaseolus vulgaris*
Blastocladiella emersonii:
starvation-induced HSPs 95
Bleomycin:
as clastogen and mutagen 106–111
Bm: s. *Bacillus megaterium*
Bo: s. *Brassica oleracea*
Brassica spec. *(B. napus, B. oleracea):*
induced HSP synthesis 8; sequence of HSP 90 14–15; storage proteins, ABA level 83; cold stress proteins 91; pathogen-induced gene expression 100
Brassinosteroids:
action as stress protector 86

C

Ca^{2+}:
role for signal systems 97, 104
Cabbage: s. *Brassica oleracea*
Cadmium ions (Cd^{2+}): s. also heavy metals
induction of HSP synthesis 30–31;
inhibition of splicing 38, 88
Caenorhabditis elegans:
sequence of HSP70 18–19; multiplicity of HSP20 family 26; homology elements of HSP16 28–29

Cajanus cajan:
induced HSP synthesis 8; HSP60 in mitochondria 77
Callose synthesis:
induction by stress 80-81; increased synthesis after wounding 95, after pathogen infection 99
Candida:
phytochelatins 88
Carrot: s. *Daucus carota*
Catharanthus roseus:
1D pattern of HSPs 5; 2D pattern of HSPs 10; induced HSP synthesis 8; nucleolar ultrastructure 46, 48; HSG 52, 55; localization of HSPs 57; r-protein S6 dephosphorylation 42
Cauliflower mosaic virus:
35S-promoter constructs 38, 41; hs, function of leader sequence 41
Ce: s. *Caenorhabditis elegans*
Cell cycle:
control of stress protein synthesis 31; effect of starvation stress 94
Cell division:
induction of stress metabolites 80-81
Cell membrane: s. also plasma membrane
cytokinin protection of c. m. integrity 86; destructive effects of hs, ABA, jasmonate, ethylene 86; phosphorylation, wounding 98
Cellular acidosis:
induced polyamine synthesis 78, 80-81; as result of other stresses 78, 89
Cell wall fragments: s. oligosaccharide
Cell wall modification: s. also hydroxyproline-rich proteins, thionin
pathogen infection 99-100
Cell wall proteins: s. also hydroxyproline-rich c.w. protein stress-induced synthesis 80-81
Chalcone synthase:
induction by wounding 96, by pathogen infection 101; promoter structure of CHS gene 103
Chemical stressors:
induced HSP synthesis 30; activation of HSTF 30-31; induction of stress metabolites 80-81
Chicken: s. *Gallus domesticus*
Chilling resistance: 90
Chitinase:
induction by stress 80-81; induction by cytokinin 86; pathogen induction and localization 101-102;
inhibitor of fungal growth 102
Chlamydomonas reinhardii:
induced HSP synthesis 7; sequence of HSP20 27; homology elements of HSP20 28-29; protection of thylakoid membranes 74; HSP22 in mitochondria 77; inactivation of photosystem I 77
Chlorella spec. *(C. protothecoides, C. pyrenoidosa):*
induced HSP synthesis 7; 2D pattern of HSPs 9
Chloroplast: s. also thylakoid membrane
HSPs21-25 in chl. 11, 27, 70, 71, 73, 76; HSP60 in chl. 75, 77; precursor of HSP21 13; synthesis and assembly of rubisco 21, 39; aggregation of membrane proteins 21, 63, 77; thermotolerance effects 64; ribosome biosynthesis 74; senescence, jasmonate 84
CHO cells (Chinese hamster ovary cells):
hs survival 65; entrapping of HSTF 65
CHS s. chalcone synthase
4-Cl s. 4-coumarate ligase
Cladosporium spec.:
as pathogen 100; hs induced pathogen resistence 105
Clastogenic adaptation:
induced by hs and mutagens 105-112; kinetics of induction and decay 109; inhibition by cycloheximide 108-109; role of ADP-ribosylation 110
Clathrin uncoating ATPase:
role of HSC70 in vertebrates 17, 20
Claviceps purpurea:
1D pattern of HSPs 6; 2D pattern of HSPs 9
Cold hardiness: 90-91
Cold stress proteins: 91
Colletotrichum spec. *(C. lagenarium, C. lindemuthianum):*
as pathogen 100; hs-induced pathogen-resistence 105
Control mRNA: s. also hs mRNA
storage vs. degradation 39-41; classes of mRNA 39
Control proteins:
regulation of synthesis by hs 39-43
Copper ions (Cu^{2+}):
induction of HSP synthesis 30-31
Corn: s. *Zea mays*
Cotton: s. *Gossypium hirsutum*
4-Coumarate ligase:
induction by pathogen infection 101
Coxiella burnetii:
sequence of HSP60 24-25
Cr: s. *Chlamydomonas reinhardii*
Crassulacean acid metabolism: 92-93
Cross-tolerance: 79, 106
Cucumber: s. *Cucumis sativus*
Cucumis spec. *(C. melo, C. sativus):*
protease inhibitor induction by wounding 96; extensin induction 97; pathogen-induced gene expression 100; elicitor induced chitinase, glucanase 101; extracellular localization of PR proteins 102
Cucurbita pepo:
nucleolar ultrastructure 48; HSG 56; localization of HSPs 60
Cutin:
stress-induced synthesis 80-81
Cytokinins:
stress by c. 85-86; effects on protein synthesis 85-86; inhibition of senescence 86; protection from hs damage 86; induction of stress metabolites and proteins 80-81, 102
Cytoskeleton: s. also tubulin, actin
HSP70 as interfacing protein 17, 20, 43, 45; collapse of c. 20; tubulin synthesis 39; thermotolerance effects 64

D

2,4-D: s. auxin
Daucus carota:
induced HSP synthesis 8; ethylene induced proteins 85; anaerobic stress proteins 89; cold hardening by ABA 91; induction of DSP26 by ABA, NaCl 94; extensin induction by wounding 96-97
Development:
stress induced d. 82-85; control of stress-related genes 13-16, 80-81, 103; hs effects on pathogen d. 79; synthesis of stress metabolites 80-81
Diadenosine tetraphosphate:
role as alarmone in bacteria 88
Dictyostelium discoideum:
multiplicity of HSP20 family 26; induced development, starvation 94
Digitalis lanata:
1D pattern of HSPs 6; induced HSP synthesis 8; 2D pattern of HSPs 10; induction of hs mRNAs 34; r-protein S6 dephosphorylation 42; nucleolar ultrastructure 46; HSG 52; localization of HSPs 57; cross-reactivity of antibodies 68–69
2,4-Dinitrophenol:
inducer of HSP synthesis 30
Dm: s. *Drosophila melanogaster*
DNA binding proteins: s. also HSTF
anaerobic stress promoters 90; chalcone synthase promoter 103
DnaK *(E. coli):* s. also HSP70
function as HSP 21-22
DNA synthesis:
function of bacterial HSPs 21, 23; thermotolerance effects 64
Drosophila melanogaster:
developmental control of hs genes 13; regulation of HSP83 synthesis 13, of HSP70 synthesis 16; sequence of HSP83 14-15, of HSP70 18-19; multiplicity of HSP20 family 26; homology elements of small HSPs 28-29; promoter structure of hsp83 gene 36; isolation of HSTF 35; expression of hsp70 constructs in plants 38, in vertebrates 65; role of hs mRNA leader sequence 38, 41; inhibition of intron splicing 38; translation control 39; histone mRNA translation 39; block of ribosome synthesis 45; aggregation of small HSPs 59

E

EB: s. ethidiumbromide
Ec: s. *Escherichia coli*
Ecdysone:
inducer of hs genes, *Drosophila* 13, 31
Elicitor: s. also oligosaccharide
generated by wounding and pathogen infection 78, 80-81; induction of pathogen response 101, 103-104; role of arachidonic acid 104, of proteins 104; action on protoplasts 104
EMS: s. ethyl methanesulfonate
Endoplasmic reticulum: GRP78, GRP94 in r-ER 16, 20;
destruction by hs 39, 43; HSP's in ER 73
ER: s. endoplasmic reticulum
Erysiphe graminis: as pathogen 100
Escherichia coli:
sequence of HSP90 (HtpG) 14-15; sequence of HSP70 (Dnak) 18-19; function of HSPs 21-22; sequence of HSP60 (GroEL) 24-25; role of Ap_4A 88; starvation stress proteins 94
Ethidium bromide: as clastogen and mutagen 106-111
Ethylene: s. also ACC synthase
induction by stress metabolites 80-81, 85; role for senescence and fruit ripening 85; e.-induced proteins 85, 104; interaction with ABA and jasmonate 85; induced by heavy metals 88; role as systemic signal 97, 104; as stress indicator 104; inhibitors of e. synthesis 104
Euglena gracilis:
1D pattern of HSPs 6; induced HSP synthesis 7; 2D pattern of HSPs 9
Extensin: s. hydroxyproline-rich cell wall protein

F

Flowering:
induction of stress metabolites 80-81
p-Fluorophenylalanine:
inducer of HSP synthesis 31
Freezing resistance, 90
Fruit fly: s. *Drosophila melanogaster*
Fungi: s. *Achlya, Neurospora crassa, Aspergillus nidulans, Cladosporium, Claviceps purpurea, Colletotrichum, Fusarium solani, Phythophthora* spec., *Verticillium*
Fusarium solani:
as pathogen 100; hs inhibits disease response 105

G

Gallus domesticus:
sequence of HSP90, GRP94 14-15; sequence of HSP70, GRP78 18-19; HSP26 aggregates 59
Gd: s. *Gallus domesticus*
Gladiolus:
induced HSP synthesis 7
Glucanase:
induction by stress 80-81; pathogen induction and localization 101-102; inhibition of fungal growth 102
Glucose-regulated proteins:
in ER/golgi system 16; precursor of GRP 14-16, 18-19; role for protein assembly 22
Glutathione:
induction of stress metabolites and proteins 80-81, 104; g. levels affected by oxygen stress 87
Glycine betaine

induction by stress 80-81; induction by water stress 93
Glycine max:
induced HSP synthesis 7; 2D pattern of HSPs 12; sequence of HSP26A 27; sequence of HSP17 26; homology elements of small HSPs 28, 29; promoter of HSP 17, 26 36-37; nucleolar ultrastructure 49; HSG 54, 56; degradation of auxin-induced mRNA 39; synthesis of Rubisco 39, 74; expression of hsp17 gene in tobacco 41; synthesis of storage proteins 39; pathogen induced gene expression 100; storage proteins, ABA level 83; decay of polysomes by anaerobiosis 89; induction of DSP26 by ABA, NaCl 94; extensin induction by wounding 96; induction of PAL, 4-Cl, CHS, pathogen 101; role of Ca^{2+} and ethylene, pathogen stress 104; protoplasts interact with Pmg elicitor 104
Glycine-rich protein:
induction by ABA 83-84; structure 84; induction by wounding and salt stress 84, 97, by high salt, ABA, PEG 94, by pathogen infection 99
Gm: s. *Glycine max*
Golgi apparatus:
HSPs in g.a. 73
Gossypium hirsutum:
induced HSP synthesis 8; storage proteins, ABA level 83; induction of DSP26 by ABA, NaCl 94
GroEL *(E. coli):* s. also HSP60
function in DNA synthesis 21; function in phage assembly 22; function in assembly of Rubisco 23, 75; sequences 24-25
GRP: s. glucose-regulated proteins

H

Heat shock: s. also HSP, signal system, heat shock promoter, heat shock box
induced HSP synthesis 5-12; HSP families 14-30; regulation of HSP synthesis 13, 16, 32-33; reprogramming of transcription 33; degradation of mRNA 39; translation control 39-43; decay of polysomes 41; relation to water stress 78; induction of stress metabolites 80-81; inhibition of stress protein synthesis 79; effect on pathogen infection 79, 104-105; priority to other stress responses 79; as clastogen 105-112
Heat shock box: s. also HSTF, hs expression vectors structure 33, 35; position in hs promoters 36-37; binding of HSTF 35-37; cooperative effects 35; in PR gene promoter 103
Heat shock expression vectors: 35, 37-38
Heat shock granules:
storage of mRNA 21, 39, 41-43; in different plants 52-58; ultrastructure 49-51, 62; protein composition 67; precursor particles 47, 59; HSP in HSG 57-58, 66-67, 69, 70, 72; association with cytoskeleton 51, 59; contamination of cell organelles 51; in animal cells 59
Heat shock mRNA:
induction by hs and chemical stressors 30; accumulation 33; in situ hybridisation 40; role of leader sequence 41
Heat shock promoter: s. also hs box
structure 32-38
Heat shock proteins: s. also HSP
HSP patterns 5, 6, 9-12; families 13-30; regulation of synthesis 13, 16, 32-38; developmental control of synthesis 13; conservation 16; binding to protein and RNP aggregates 20-22; transient vs. delayed expression 32; formation of cytoplasmic aggregates 47, 59; accumulation in HSG 60-61, 67; intracellular localization 65-74; induction by stress 80-81; starvation inhibits synthesis 95
Heat shock transcription factor: s. HSTF
sigma 32 in *E. coli* 23; Southwestern-screening for HSTF gene 35; isolation from *Drosophila* and yeast 35; phosphorylation 37; entrapping by HSE multimers 65; concentration in CHO cells 65
Heavy metal:
stress by h. m. 32-32; induced HSP synthesis 30-31; synthesis of phytochelatins 32, 88-89; induction of stress metabolites and proteins 80-81, 102; increased ABA level 80-82; oxidation stress by h.m. 88
Helianthus annuus:
induced HSP synthesis 8
Histones:
mRNA translation during hs, *Drosophila* 39
Homo sapiens:
sequence of HSP90 14-15, of HSP70 18-19, of HSP60 24-25; homology elements of HSP27 28-29; promoter structure of hsp70 gene 36
Hordeum vulgare:
1D pattern of HSPs 6; induced HSP synthesis 7; 2D pattern of HSPs 12; sequence of ubiquitine 27; induction of hs mRNAs 34; nucleolar ultrastructure 48; HSG 56; destruction of r-ER by hs 39; degradation of amylase mRNA 39; localization of HSPs 60; cross-reactivity of antibodies 68, ABA-induced proteins 83; jasmonate-induced proteins 84; anaerobic stress proteins 89; cold stress proteins 91; desiccation stress proteins 94; pathogen-induced gene expression 100
Hs: s. *Homo sapiens*
HSG: s. heat shock granules
HSP: s. heat shock proteins
HSP90 family:
conservation 16; sequences 14-15; intracellular localization 20-21; binding to steroid receptor 17, 21; processing of onc gene products 21
HSP70 family: s. also DnaK
isoforms 9; position in 2D electrophoresis 9-12; promoter of genes 13, 36-37; conservation 16, 17; sequences 18-19; function of HSP70 20, 22-23; intracellular localization 17-23, 68-74; ATPase activity 17-23; protein topogenese 21, 65; nuclear targeting signal, homology to homeo box 22; autorepression of synthesis 22; autoproteolytic activity 22;

ATP affinity purification 23; ATP binding site 23; antibodies, tomato HSP70 66-68; cross-reactivity of antibodies 67-69; induction by wounding, maize 96
HSP68:
position in 2D gels 9-12; antibodies to tomato HSP68 67; localization in mitochondria 71
HSP60 family: s. also GroEL
in plants 9, 23; conservation 16; sequences 24-25; in chloroplasts 21, 73, 75; in mitochondria 21-25, 73, 75; role as molecular chaperonin 21-23; 12 nm particles 23; ATPase 23
HSP26: (soybean)
sequence 27; inducers 27, 32; induction by stress 80-81
HSP21-22:
position in 2D gels 9-12; in chloroplasts 70, 71, 73; antibodies to tomato HSP21 67; conservation between plants 67-68, 75; synthesis of precursor 75
HSP20: s. also HSP17, HSP21, HSG
multiplicity of proteins 6, 9-12, 26-30; in chloroplasts 11, 13; sequence of proteins 26-27; conservation 28-29 localization in HSG and nucleus 57-59
HSP17:
position in 2D gels 9-12; sequences 26; antibodies, tomato- 67, 68; cross-reactivity of antibodies 67-69
HSP8.5: s. ubiquitin
HSTF: s. heat shock transcription factor
Human cells: s. also *Homo sapiens*
in vitro translation system 41; collapse of cytoskeleton 41; HSP28 in nucleus 59;
Hydrolytic enzymes: s. also glucanase, chitinase
induction by stress 80-81; effects of auxin/cytokinin on synthesis 85
Hydroxyproline- rich proteins:
induction by wounding or pathogen infection 96-97, 99; posttranslational modification 97, 99; role for pathogen resistance 97; systemic induction 97
Hypersensitive cell death:
relation to wounding 78; relation to oxidation stress 87; synthesis of extensin 97; pathogen response 98; inhibition by hs 105
Hyperthermia:
cancer treatment 2, 59, 106

I

Inducer: s. also elicitor, ethylene, signal systems, heavy metals of HSP synthesis 30-32; hs-like vs. non-hs-like i. 30-31
Initiation:
cap independent i. of translation 42
In situ hybridization:
of pathogenesis-related mRNA 99
Interaction of stressors: 78-79
Inracellular localization of HSPs: 68-74
methods 66, 73; survey on—in plants 73
Intrinsic heat sensitivity: 59, 61, 63

J

Ja-Me: s. jasmonates
Jasmonates:
senescence factor 84; induced proteins 84; interaction with other stressors 84

K

Kalanchoe blossfeldiana:
NaCl-induced PEP carboxylase 92, 93

L

Le: s. *Lycopersicon esculentum*
Lignin:
induction by stress 80-81; by pathogen infection 99
Lilium longiflorum:
induced HSP synthesis 7
Lolium temulentum:
cold stress proteins 91
Lon protease *(E. coli):*
function as HSP21
Low temperature stress:
induction of stress metabolites 80-81; relation to water stress 78; induced resistance 90-91; induced proteins 91; membrane adaptation 91
Lycopersicon esculentum:
1D pattern of HSPs 5; induced HSP synthesis 8; 2D pattern of HSPs 10; sequence of HSP70 18-19; induction of hs mRNA 34; r-protein S6 dephosphorylation 42; nucleolar ultrastructure 48, 49; HSG 53; localization of HSPs 58; cross-reactivity of antibodies 68; localization of HSPs17, 21, 22 70-71; anaerobic stress proteins 89; cold stress proteins 91; proteins induced by wounding 96-97; wound signals 97, 104; pathogen induced gene expression 100; elicitor-induced chitinase, glucanase 101; PR gene sequence 102
Lycopersicon peruvianum:
2D pattern of HSPs 10; induction of hs mRNAs 34; classes of mRNAs 39; translation control 39-43; in vitro translation patterns 40; r-protein S6 dephosphorylation 42; ribosome biosynthesis 45-47; localization of HSP70 47; nucleolar ultrastructure 49; HSG 50, 54, 55; localization of HSPs 57, 61; cross-reactivity of antibodies 68, 69

M

Maleic hydrazide: as clastogen and mutagen 106-111
Mammals: s. *Homo sapiens, Mus musculus, Rattus norvegicus,* vertebrates
Mercury ions (Hg^{2+}):
induction of HSP synthesis 30-31; induction of stress metabolites 80-81

Mesembryanthemum crystallinum:
NaCl-induced PEP carboxylase 93
Metallothioneins: 88
N-methyl-N-nitrosourea: as clastogen and mutagen 106-111
MH: s. maleic hydrazide
Mitochondria:
uptake of pre-proteins, HSP70 21; HSP60, assembly of matrix proteins 21; HSP30, Neurospora 27; changes in ultrastructure 43; HSP68 in plant m. 69, 71, 73; yeast HSP70 (SSC1) 77
Ml: s. *Mycobacterium leprae*
Mm: s. *Mus musculus*
MNU: s. N-methyl-N-nitrosourea
Modulators: s. also auxins, abscisic acid, brassinosteroids, cytokinins, ethylene, jasmonates, polyamines of stress response 59, 82-87; role for intrinsic heat sensitivity 59
Mouse: s. Mus musculus
mRNA: s. also hs mRNA, control mRNA
storage in HSG 21, 39, 41-43; hs, stability vs. degradation 39-41
Multigene families:
stress inducible genes 2, 13-30, 103
Mus musculus:
sequence of HSP90, GRP94 14-15; sequence of HSP70 18-19; homology elements of HSP25 28-29; hs, degradation of tumor virus mRNA 39
Mustard: s. *Sinapis alba*
Mycobacterium leprae, M. tuberculosis:
sequence of HSP60 24-25; sequence of HSP18 27; homology elements of HSP16 28-29

N

NA: s. nalidixic acid
Nalidixic acid: as clastogen and mutagen 106–111
Nc: s. *Neurospora crassa*
Neobesseya similis:
HSG 52
Neurospora crassa:
HSP30 in mitochondria 6; sequence of HSP30 27; homology elements of HSP30 28-29; starvation induced HSPs 95
Nicotiana spec. *(N. plumbaginifolia, N. rustica, N. sylvestris, N. tabacum):*
1D pattern of HSPs 6; induced HSP synthesis 8; 2D pattern of HSPs 12; function of Drosophila hsp70 promoter in N. 38; nucleolar ultrastructure 48; HSG 56; localization of HSPs 60; cross-reactivitiy of antibodies 68; freezing resistance, ABA level 82; ABA induced proteins 84; cytokinin stress, induced heat resistance 86; anaerobic stress proteins 89; desiccation stress proteins 94; induced proteinase inhibitor, wounding 96; pathogen- induced gene expression 100; elicitor induced chitinase, glucanase 101; extracellular localization of PRPs 102; PRP gene sequence 102-103
Nucleolus:
binding of HSP70 17, 70, 47, 65; RNP granules 20, 45; fine structure 45-47, 48-49; degranulation 45; recovery after hs 47; thermotolerance effects 64
Nucleus:
binding of HSP70 17; protein aggregates with HSP70 20; RNP granules 20; formation of actin rods 43; increase of non-histone proteins 43; small HSPs in n. 59
Nutrient starvation:
control of stress protein synthesis 31; decay of polysomes 41, 95; relation to other stresses 78-79; increase of ABA 80-82; result of water stress 92; induction of stress proteins 94-95; developmental trigger 94

O

Oligosaccharides: s. also elicitor
induction by stress 80-81; role as elicitor 103-104
Onc gene products:
tight nuclear binding 20; HSP90, processing of $pp60^{v\text{-}src}$ 21
Onion: s. Allium cepa
Opuntia:
leaf temperature 65

P

Paragnat:
generation of superoxide radicals 87, modification of translation, maize 87
Pathogen response:
role of elicitor 98, relation to wound response 98; complexity of p. r. 99; genes and proteins involved 99-103; signals 103-104; effects by hs 104-105
Pathogenesis related proteins:
induction by stress 80-81, by chemical stressors and pathogens 102, by cytokinin 86, by heavy metals 88; extracellular localization 102; gene and promoter structure 102-103
Pea: s. *Pisum sativum*
Peanut:
vanadate induction of phenylpropanoid metabolism 104
PEG: s. polyethylene glycol
Peganum harmala:
1D pattern of HSPs 5; induced HSP synthesis 8; 2D pattern of HSPs 16; induction of hs mRNAs 34; nucleolar ultrastructure 46; localization of HSPs 57; cross-reactivity of antibodies 68, 69
Pennisetum americanum:
induced HSP synthesis 7
Perichromatin granules:
accumulation in nucleus 20
Petroselinum crispum:
1D pattern of HSPs 5; induced HSP synthesis 8; 2D pattern of HSPs 10; induction of hs mRNAs 34; nu-

cleolar ultrastructure 46; HSG 52; starvation stress proteins 75; pathogen-induced gene expression 100; elicitor-induced PAL, 4Cl, CHS, chitinase, glucanase 101; PR gene structure 102, 103; CHS gene promoter 103; interaction of protoplasts with elicitor 104
Petunia hybrida:
hsp70 gene, intron 17; sequence of HSP70 18-19; promoter of hsp70 gene 36; function of *Drosophila* hsp70 promoter 38; inhibition of intron splicing by Cd^{2+} 38; wounding induced glycine-rich proteins 97
Ph: s. *Petunia hybrida*
Ps: s. *Pisum sativum*
Phaseolus vulgaris:
induced HSP synthesis 7; pathogen-induced gene expression 100; extensin induction by pathogens and glutathione 97, 104
Phenylalanine-ammonia lyase:
induction by stress 80-81, 101, by heavy metals 88, by wounding 96, by pathogen infection 99, 101
Phenylpropanoid metabolism: s. chalcone synthase, lignin, phenylalanin-ammonia lyase
Phosphoenolpyruvate carboxylase:
regulation by salt stress 92, 93
protection of thylakoid membranes 74; in vitro transport of chloroplast HSPs 77; ethylene-induced proteins 85; anaerobic stress proteins 89; Adh gene structure 90; pathogen-induced gene expression 100; elicitor-induced chitinase, glucanase 101; role of pisatin 101; role of ethylene as signal 104
Plasma membrane: s. also cell membrane
clathrin uncoating ATPase 17, 20; intramembrane protein aggregates 20, 45; thermotolerance effects 63-64; HSPs in p. m. 73; damage by low temperature stress 90-91; changes by cold hardening 91; protein phosphorylation, signal transduction 98, 104
Polyamines:
induction by stress 80-81, 86-87; stress protection 86; retardation of senescence 87
Polyethylene glycol:
inducer of water stress 94
Polyol synthesis:
induction by stress 80-81, by cold stress 90, by water stress 93
Polysomes:
decay of p. during stress 41, 43; association with cytoskeleton 41
Pre-mRNP:
inhibition of processing 38; accumulation of perichromatin granules 20, 43
Pre-rRNP:
hs-induced accumulation in nucleolus 20, 43; block of processing 45, 47
PRPs: s. pathogenesis-related proteins
Proline:
role for intrinsic heat sensitivity 63, 64; induction by stress 80-81, by cold stress 90, by water stress 93
Promoter: s. also hs box, hs promoter, HSTF, DNA-binding proteins, transcription factor
ABA-responsive p. 83; genes of alcohol dehydrogenase 90; chalcone synthase 103; pathogenesis-related proteins 102-103; proteinase inhibitor 96
Protease:
induction by cold shock 91
Protein aggregates:
association with heat shock proteins 20-22
Proteinase inhibitors:
induction by stress 80-81, by wounding 96; gene and promoter structure 96
Protein degradation:
jasmonate-induced 84; water stress 93
Protein topogenese:
role of HSP70 21-22, 65
Puccinia spec.:
hs effects on infection structures 105
Puromycin:
induced HSP synthesis 30

R

Radiation:
induction of stress metabolites 80-81;
relation to oxidation stress 88
Rape: s. *Brassica* spec.
Rattus norvegicus:
sequence of HSP70, GRP78 18-19
Ribosome: s. also pre-rRNP, ribosomal proteins
modifications during stress 41-42; effects on r. synthesis 45-47; ribosomal wastage 47; synthesis in chloroplasts 74
Ribosomal proteins:
modification 41, 42; synthesis during hs 47
Ribosomal protein S6:
dephosphorylation by hs 41-42
Ribulose-bisphosphate carboxlase:
assembly of subunits, HSP60 21, 23, 26, 75; synthesis during hs 39, 74; degradation by jasmonate 84; oxygenase function 92
Rice: s. *Oryza sativa*
Ripening: s. also seed development
induction of stress metabolites 80-81
Rn: s. *Rattus norvegicus*
RNP aggregates:
association with heat shock proteins 20-22
rRNA: s. also pre-rRNP
Synthesis and processing 45, 47
destabilization by starvation, *Tetrahymena* 95
Rubisco: s. ribulose-bisphosphate carboxylase
Rye: s. *Secale cereale*

S

Saccharomyces cerevisiae:
sequence of HSP90 14-15, of HSP70 18-19, of HSP60 24-25; HSP70 family, regulation, 16; multiplicity of HSP20 family 26; Homology elements of

HSP26 28-29; isolation of HSTF 35; HSP70 (SSC1) in mitochondria 77; metallothionein 88; starvation-induced HSPs 94, 95
Salicylate:
inducer of stress metabolites 80-81, of PR proteins 102
Salmonella typhimurium:
role of Ap_4A, hs vs. oxidation stress 88; starvation stress proteins 94
Salt stress:
relation to water stress and starvation 78-79; induction of stress metabolites 80-81; increase of ABA 80-82; induction of proteins 84
Sc s. *Saccharomyces cerevisiae*
Schizosaccharomyces:
phytochelatins 88
Secale cereale:
cold stress proteins, cold hardiness, ABA 91
Seed development:
role of ABA, relation to water stress 82-83
Senescence s. ageing
Signal systems: s. also chemical stressors, modulators, inducers hs, role of abnormal proteins 30-31, 79; denaturation of SH-proteins 88; systemic s. s., wounding 97-98, pathogen response 103; role of protein phosphorylation 98, 104; acetosyringone as wound signal 98; role of elicitors, pathogen response 103-104; role of Ca^{2+} 104; of membrane ATPase 104
Silencer:
root-specific s., rbcs gene 38; ABA-responsive promoter 83
Sinapis alba
storage proteins, ABA 83
Small HSPs: s. HSP20, HSP17
Spinacea oleracea:
induced HSP synthesis 8; cold stress proteins 91
Splicing:
inhibition by hs or Cd^{2+} 38, 88; trans-s. of miniexons in Trypanosoma 38
SO_2:
induction of stress metabolites 80-81
Solanum tuberosum:
cold stress proteins 91; induction of DSP26 by ABA or NaCl 94; wound-induced proteinase inhibitor 96; wound signals 97; pathogen-induced gene expression 100; induction of PAL, CHS, 4-Cl, pathogen 101
Sorghum vulgare:
induced HSP synthesis 7; HSPs in chloroplasts 77; anaerobic stress proteins 89
Soybean: s. *Glycine max*
Starvation: s. nutrient starvation
Steroid hormones: s. also ecdysone
receptor, complex with HSP90 17, 21
Stress domains:
interaction 78-79, 80-81, 88, 104-112
Stress metabolites 59, 80-81
Stress proteins: s. anaerobic stress, heat shock, heavy metal stress, low temperature stress, oxidation stress, pathogen response, nutrient starvation, water stress, wounding
Stress tolerance: s. also clastogenic adaptation, thermotolerance to heavy metals 89; to anaerobiosis 89; to low temperature 90-91; to water stress, osmotic adaptation 93; to pathogen infection 102, 104-105, to genomic stress 105-112
Suberin synthesis:
induction by stress 80-81, by pathogen infection 99
Sulfhydryl reagents:
inducer of HSP synthesis 30, 79

T

Tb s. *Trypanosoma brucei*
Tc s. *Trypanosoma cruzi*
TEM s. triethyleneiminotriazine
Tetrahymena thermophila:
multiplicity of HSP20 family 26; translation control by hs 39, 41; hs induction of scRNA 41; classes of mRNAs 39; degradation of tubulin mRNA, hs 39; starvation-induced HSPs 95; destabilization of rRNA, starvation 95
Thermotolerance: s. also cross-tolerance, stress tolerance mRNA storage 39–40; effect on ribosome synthesis 47; t. vs. intrinsic heat sensitivity 59, 61, 63; role of HSPs 64-73; states of t. 63; effects on plasma membrane 63, on mitochondria 77, on cytoskeleton 64, on nuclear function 64, 65, on translation 64, on DNA synthesis 64, on chloroplasts 64; phases of induction 64; t. of growing pollen tubes 64; survival of CHO cells, HSP72 65; effects of triadimefon 82
Thionin, barley 100
Thylakoid membrane: s. also chloroplast
protein aggregates 21, 63, 74, 77; thermotolerance effects 64; photosynthetic activity 74; effects by oxidation stress 87, by cold stress 91, by water stress 92
Ti-plasmid 85-86, 98
Tobacco: s. *Nicotiana* spec.
Tobacco mosai virus:
as pathogen 100; hs effects on replication 105
Tomato: s. *Lycopersicon* spec.
Tradescantia paludosa:
induced HSP synthesis 7; thermotolerance, pollen tubes 64
Transcription: s. also hs mRNAs
reprogramming of t., hs 33-38
Transcription factors: s. also HSTF, DNA-binding proteins homeo-proteins, homology to HSP70 22
Translation:
control of t. 39-43; thermotolerance effects 64
Translation control: s. also hs granules
under hs conditions 39-43; in vitro t. of mRNA 40; mechanisms 41-43; role of cytoskeleton 43; model of t.c. 42-43; recovery of control protein synthesis 51, 62
Trenimon, clastogen and mitogen 106-111

Triadimefon:
modulator of ABA response 82; block of gibberellin synthesis 82; as stress multiprotectant 82
Triethyleneiminotriazine, clastogen and mutagen 106-111
Triticum aestivum:
induced HSP synthesis 7; sequence of HSP60 24-25; brassinosteroid effects 86; cold stress proteins, cold hardiness, ABA 91; water stress proteins 94
Trypanosoma spec. *(T. brucei, T. cruzi)*
sequences of HSP90 14-15, of HSP70 18-19; splicing of miniexon to hs mRNAs 38
Tubulin:
degradation of mRNA, hs 39; rearrangement of microtubules 39

U

Ubiquitin:
as HSP 30; association with cytoskeleton 20; sequence 27; polyubiquitin genes 30

V

Vanadate:
induction of pathogenesis-related proteins 81, 104
Vertebrates: s. also *Gallus domesticus, Homo sapiens, Mus musculus, Rattus norvegicus*
multiplicity of HSP20 26; nuclear actin rods 43; mitochondrial ultrastructure 43; rearrangement of cytoskeleton 43; membrane blebbing 45; block of ribosome synthesis 45; expression of Dm-hsp70 gene 47, 65; aggregation of HSP26 59
Verticillium alboatrum, pathogen 100
Vicia faba:
induced HSP synthesis 7; 2D pattern of HSPs 12; storage protein synthesis, ABA 83; wound-induced enzymes 96, proteinase inhibitor, extensin and glycine-rich protein 96-97; processing of extensin mRNA 99; induction of PAL, 4-Cl, CHS by pathogen or elicitor 101; induced chitinase, glucanase 101; clastogenic adaptation, genomic stress 105-112
Vigna unguiculata:
induced HSP synthesis 8
Vigna sinensis:
HSPs in chloroplasts 77
Virus: s. also cauliflower mosaic v., tobacco mosaic v.
eradication of v. infection by hs 63, 104; hs, degradation of tumor v. mRNA 39
Volvox carteri:
induced HSP synthesis 7

W

Water deficiency stress: s. also salt stress, osmotic stress
induction of hsp70 mRNA 32; decay of polysomes 41; synthesis of stress metabolites 80-81; relation to hs, osmotic and freezing stress 78, 92; increased ABA level 80-82, 92; osmotic adjustment 93; induced proteins 94
Waxes, stress-induced synthesis 80-81
Wheat: s. *Triticum aestivum*
Wounding:
induction of stress proteins 30-31, 84; increased levels of hsp70 mRNA 31; decay of polysomes 41; synthesis of stress metabolites 80-81; relation to pathogen infection 78, 95, 98; synthesis of elicitors 95; signals involved 97-98

X

Xanthomonas campestris, pathogen 100
Xenopus laevis:
sequence of HSP70 18-19; multiplicity of HSP20 family 26; promoter, hsp70 gene 36-37; hs, degradation of vitellogenin mRNA 39; function of Dm-hsp70 gene constructs in X.l. oocytes 41
Xl s. *Xenopus laevis*
X-rays, clastogen and mutagen 106-111

Y

Yeast: s. *Saccharomyces cerevisiae, Candida, Schizosaccharomyces*

Z

Zea mays:
induced HSP synthesis 7; 2D pattern if HSPs 12; sequence of HSP70 18-19, of HSP90 14-15; promoter, hsp70 gene 36; induction of hs mRNAs 34; nucleolar ultrastructure 49; HSG 47, 54, 55; ribosome-associated SP57 41; localization of HSPs 61; ABA-induced proteins 83, 84; hs, modified translation apparatus 87; anaerobic stress proteins 89; Adh gene structure 90; cold stress proteins 91; water stress proteins 94; wounding-induced enzymes 96
Zinc ions (Zn^{2+}):
induction of HSP synthesis 31
Zm: s. *Zea mays*